

AMENDMENTS TO THE CLAIMS

Please cancel claim 19 without prejudice or waiver to the underlying subject matter.

1. **(Original)** A computer system for generating output modules in a form-based application runtime environment, comprising:
 - a form manager component configured to receive an indication that a reusable form element has been changed, determine which output modules from a set of output modules are affected by the changed form element, and invalidate the affected output modules; and
 - a runtime manager component configured to receive a request for an output module from the set of output modules and cause regeneration of the requested output module if the requested output module has been invalidated.
2. **(Original)** The system of claim 1, wherein the indication is received when changes to the reusable form element are saved.
3. **(Original)** The system of claim 1, wherein the affected output modules are determined by referencing a record data structure.
4. **(Original)** The system of claim 1, wherein the affected output modules are invalidated by marking a flag associated with each affected output module as invalid.
5. **(Original)** The system of claim 1, wherein the request for the output module received by the runtime manager is a request to identify the output module.
6. **(Original)** The system of claim 1, wherein the reusable form element is one of a form page and a form window.
7. **(Original)** The system of claim 1, wherein the reusable form element is form logic.
8. **(Original)** The system of claim 1, wherein the reusable form element is a form interface.

9. **(Original)** A computer-implemented method for generating output modules in a form-based application runtime environment, comprising:
- receiving an indication that a reusable form element has been changed;
 - determining which output modules from a set of output modules are affected by the changed form element;
 - invalidating the affected output modules;
 - receiving a request for an output module from the set of output modules; and
 - regenerating the requested output module if the requested output module has been invalidated.
10. **(Original)** The method of claim 9, wherein the indication is received when changes to the reusable form element are saved.
11. **(Original)** The method of claim 9, wherein the affected output modules are determined by referencing a record data structure.
12. **(Original)** The method of claim 9, wherein the affected output modules are invalidated by marking a flag associated with each affected output module as invalid.
13. **(Original)** The method of claim 9, wherein the request for the output module received by the runtime manager is a request to identify the output module.
14. **(Original)** The method of claim 9, wherein the reusable form element is one of a form page and a form window.
15. **(Original)** The method of claim 9, wherein the reusable form element is form logic.
16. **(Original)** The method of claim 9, wherein the reusable form element is a form interface.

17. **(Original)** A computer-implemented dynamic form building method, comprising:
responsive to a call to start a form output process based on an identified form:
determining whether a previously generated output module associated with the
identified form in an output module library has been marked as invalid;
if so:
regenerating the output module; and
storing the regenerated output module in the output module library along with a
marker to indicate that the output module is valid.
18. **(Original)** The method of claim 17, wherein the regeneration of the output module includes
compiling changed reusable form elements into the output module.
19. **(Canceled)**